

# Mag Layers Scientific-Technics., Co., Ltd

# **Material Description**

\_\_\_\_\_\_

Mag. Layers certify below statement for material description.

Component type:

# Multilayer Ferrite chip Bead and Inductor GMLB N1 SERIES

### **Description:**

 Comply with Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS).

· Comply with the request for Halogen Free limit.

The limit as below:

CI: 900 ppm Br: 900 ppm

Total halogens contained: 1500 ppm

#### Material:

Name of material	Pb	Cd	Hg	Cr+6	PBBs	PBDEs	Br	Cl	Report NO
Ceramic body	N.D	N.D	N.D	N.D			N.D	N.D	CE/2014/B3203
Terminal-Ag	N.D	N.D	N.D	N.D	N.D	N.D	N.D	N.D	CE/2014/A5240 CE/2014/A5241
Terminal-Cu	N.D	N.D	N.D	Negative	N.D	N.D	N.D	N.D	CE/2014/C3274
Terminal-Ni	N.D	N.D	N.D	Negative	N.D	N.D	N.D	N.D	CE/2014/B1560
Terminal-Sn	8ppm	N.D	N.D	Negative	N.D	N.D	N.D	N.D	CE/2014/C3272



# **Test Report**

元禧科技有限公司 BESTEC MATERIALS INC 台北市長春路442號2樓之3

2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN

頁數(Page): 1 of 6

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 樣品名稱(Sample Description)

: FERROMAGNETIC MATERIALS (氧化物磁心材料) : NA180

樣品型號(Style/Item No.) 收件日期(Sample Receiving Date)

: 2014/11/20

號碼(No.): CE/2014/B3203

測試期間(Testing Period)

2014/11/20 TO 2014/11/25

-------

: 元禧科技有限公司 (BESTEC MATERIALS INC)

測試需求(Test Requested)

(1) 依據客户要求,參考RoHS 2011/65/EU Annex II 指令進行編,鉛,汞,六價鉻測試. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI) contents in the submitted sample.)

日期(Date): 2014/11/25

(2) 依據客户指定,進行鹵素-氟、氯、溴、碘測試. (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample.)

測試方法(Test Method)

: 請見下一頁 (Please refer to next pages).

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

結論(Conclusion)

: (1) 根據客户所提供的樣品,其編,鉛,汞,六價鉻的測試結果符合RoHS指令2002/95/EC的更新指令2011/65/EU之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Cr(VI) comply with the limits as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.)

Edison Chang/Sr. Supervisor Signed for and on Behalf of SGS TAIWAN LTD. Chemical Laboratory – Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



號碼(No.): CE/2014/B3203 日期(Date): 2014/11/25 頁數(Page): 2 of 6

元禧科技有限公司 BESTEC MATERIALS INC 台北市長春路442號2樓之3 2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN



#### 測試結果(Test Results)

測試部位(PART NAME) No.1 : 棕色粉末 (BROWN POWDER)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法, 以UV- VIS檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n.d.	1000
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	-
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析 儀分析. / With reference to BS	50	n.d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-



號碼(No.): CE/2014/B3203 日期(Date): 2014/11/25 頁數(Page): 3 of 6

元禧科技有限公司 BESTEC MATERIALS INC 台北市長春路442號2樓之3 2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)



號碼(No.): CE/2014/B3203

日期(Date): 2014/11/25

頁數(Page): 4 of 6


元禧科技有限公司

BESTEC MATERIALS INC

台北市長春路442號2樓之3

2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart.  $(Cr^{6+}$  test method excluded )
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note\*\*:(1) 針對非金屬材料加入鹼性消化液 ⋅ 加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



號碼(No.): CE/2014/B3203


日期(Date): 2014/11/25

頁數(Page): 5 of 6

元禧科技有限公司 BESTEC MATERIALS INC 台北市長春路442號2樓之3 2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN

#### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/B3203 日期(Date): 2014/11/25 頁數(Page): 6 of 6

元禧科技有限公司 BESTEC MATERIALS INC 台北市長春路442號2樓之3 2F-3, NO. 442, CHANG CHEUN ROAD, TAIPEI, TAIWAN

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \*
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/B3203



\*\* 報告結尾(End of Report) \*\*



**Test Report** No. : CE/2014/A5240 Date : 2014/11/05 Page: 1 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



#### The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By : NAMICS CORPORATION

Sample Description : DP4303W Sample Receiving Date : 2014/10/30

Testing Period : 2014/10/30 TO 2014/11/05

.\_\_\_\_\_

Test Requested : As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to

determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the

submitted sample.

**Test Method**: Please refer to next pages.

Test Result(s) : Please refer to next page(s).





**Test Report** No. : CE/2014/A5240 Date : 2014/11/05 Page: 2 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



#### Test Result(s)

PART NAME No.1 : DARK GRAY PASTE

Toot Itom(a)	Unit	Method	MDL	Result
Test Item(s)	Unit	Wethod	MIDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
Sum of PBBs	mg/kg		=	n.d.
Monobromobiphenyl	mg/kg	]	5	n.d.
Dibromobiphenyl	mg/kg	]	5	n.d.
Tribromobiphenyl	mg/kg	]	5	n.d.
Tetrabromobiphenyl	mg/kg	]	5	n.d.
Pentabromobiphenyl	mg/kg	]	5	n.d.
Hexabromobiphenyl	mg/kg	]	5	n.d.
Heptabromobiphenyl	mg/kg		5	n.d.
Octabromobiphenyl	mg/kg	]	5	n.d.
Nonabromobiphenyl	mg/kg	]	5	n.d.
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008	5	n.d.
Sum of PBDEs	mg/kg	and performed by GC/MS.	-	n.d.
Monobromodiphenyl ether	mg/kg	]	5	n.d.
Dibromodiphenyl ether	mg/kg	]	5	n.d.
Tribromodiphenyl ether	mg/kg		5	n.d.
Tetrabromodiphenyl ether	mg/kg	]	5	n.d.
Pentabromodiphenyl ether	mg/kg	]	5	n.d.
Hexabromodiphenyl ether	mg/kg		5	n.d.
Heptabromodiphenyl ether	mg/kg		5	n.d.
Octabromodiphenyl ether	mg/kg	]	5	n.d.
Nonabromodiphenyl ether	mg/kg	]	5	n.d.
Decabromodiphenyl ether	mg/kg	]	5	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



No.: CE/2014/A5240

Date: 2014/11/05 Page: 3 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



#### Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated




No.: CE/2014/A5240 Date: 2014/11/05

Page: 4 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



**Note\*\***: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) For metallic material, add pure water and heat to boiling.




No.: CE/2014/A5240 Date: 2014/11/05

Page: 5 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN 

#### PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2014/A5240 Date: 2014/11/05

Page: 6 of 6

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN \* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2014/A5240



\*\* End of Report \*\*



**Test Report** No. : CE/2014/A5241 Date : 2014/11/05 Page: 1 of 4

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



#### The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By : NAMICS CORPORATION

Sample Description : DP4303W Sample Receiving Date : 2014/10/30

Testing Period : 2014/10/30 TO 2014/11/05

\_\_\_\_\_\_

**Test Requested**: As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in

the submitted sample.

Test Method : With reference to BS EN 14582:2007.

**Test Result(s)** : Please refer to next page(s).





No.: CE/2014/A5241

Date: 2014/11/05

Page: 2 of 4

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN

#### Test Result(s)

PART NAME No.1 : DARK GRAY PASTE

Test Item(s)	Unit	Method	MDL	Result No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)		With reference to BS EN	50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n.d.
Halogen-lodine (I) (CAS No.: 14362-44-8)			50	n.d.

#### Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

Member of the SGS Group



No.: CE/2014/A5241


Date: 2014/11/05

Page: 3 of 4

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN

#### Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang





No.: CE/2014/A5241

Date: 2014/11/05


Page: 4 of 4

NAMICS CORPORATION 3993 NIGORIKAWA, KITA-KU, NIIGATA-CITY 950-3131, JAPAN



\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2014/A5241



\*\* End of Report \*\*



# **Test Report**

號碼(No.): CE/2014/C3274 日期(Date): 2014/12/24 頁數(Page): 1 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

\_\_\_\_\_\_

送樣廠商(Sample Submitted By)

: 研澤科技股份有限公司 (R-BRIGHT TECHNOLOGY CO., LTD.)

樣品名稱(Sample Description)

: OXYGEN FREE HIGH CONDUCTIVITY COPPER BALL (12mm) (高純度無氧電解銅球)

收件日期(Sample Receiving Date)

: 2014/12/17

測試期間(Testing Period)

2014/12/17 TO 2014/12/24

測試需求(Test Requested)

(1) 依據客户要求, 參考RoHS 2011/65/EU Annex II 指令進行鎬, 鉛, 汞, 六價鉻, 多溴聯苯,多溴聯苯醚測試. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)

(2) 依據客户指定,進行鹵素-氟、氯、溴、碘測試. (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the

submitted sample.)

測試方法(Test Method)

: 請見下一頁 (Please refer to next pages).

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

結論(Conclusion)

: (1) 根據客户所提供的樣品,其鎬,鉛,汞,六價鉻,多溴聯苯,多溴聯苯醚的測試結 果符合RoHS指令2002/95/EC的更新指令2011/65/EU之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.)

Edison Chang/Sr. Su Signed for and on beha SGS TAIWAN LTD

Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions



號碼(No.): CE/2014/C3274 日期(Date): 2014/12/24 頁數(Page): 2 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 測試結果(Test Results)

測試部位(PART NAME) No.1 : 銅色金屬 (COPPER COLORED METAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
六價络 / Hexavalent Chromium Cr(VI)	**	參考IEC 62321: 2008方法,以沸水 萃取法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative	#
鹵素 / Halogen		and the day,			
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.	-
鹵素(氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	/1	參考BS EN 14582:2007, 以離子層析 儀分析. / With reference to BS	50	n.d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.	-



號碼(No.): CE/2014/C3274 日期(Date): 2014/12/24 頁數(Page): 3 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD. 桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
多溴聯苯總和 / Sum of PBBs			-	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	-
九溴聯苯 / Nonabromobiphenyl		參考IEC 62321: 2008方法,以氣相	5	n.d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	層析/質譜儀檢測. / With	5	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/ kg	reference to IEC 62321: 2008 and	-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether		performed by GC/MS.	5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# **Test Report**

號碼(No.): CE/2014/C3274 日期(Date): 2014/12/24 頁數(Page): 4 of 8

R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6.# = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)



# **Test Report**

號碼(No.): CE/2014/C3274

日期(Date): 2014/12/24

頁數(Page): 5 of 8


研澤科技股份有限公司

R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded )
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note\*\*:(1) 針對非金屬材料加入鹼性消化液 · 加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



# **Test Report**

日期(Date): 2014/12/24 頁數(Page): 6 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD. 桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)


號碼(No.): CE/2014/C3274

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ••••••

確認程序 / Confirmation process - - - - →





號碼(No.): CE/2014/C3274

日期(Date): 2014/12/24

頁數(Page): 7 of 8

研澤科技股份有限公司


R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





**Test Report** 

號碼(No.): CE/2014/C3274 日期(Date): 2014/12/24 頁數(Page): 8 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD. 桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \*
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/C3274



\*\* 報告結尾(End of Report) \*\*



Test Report No.: CE/20

No.: CE/2014/B1560 Date: 2014/11/21 Page: 1 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By : Vale Canada Limited

Sample Description : VALE Electrolytic Nickel S Rounds

Sample Receiving Date : 2014/11/12

Testing Period : 2014/11/12 TO 2014/11/21

\_\_\_\_\_

**Test Result(s)** : Please refer to next page(s).

**Conclusion**: Based on the performed tests on submitted samples, the test results of Cadmium,

Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits

as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Troy Changi Manager - Tech Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



No.: CE/2014/B1560 Date: 2014/11/21 Page: 2 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### Test Result(s)

PART NAME No.1 : SILVER COLORED METAL

Test Item(s)	Unit Method		MDL	Result	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	No.1 n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction (UV-VIS) Method.#	#	Negative	#
Antimony (Sb)	mg/kg	With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.	-
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n.d.	-
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	-



No.: CE/2014/B1560 Date: 2014/11/21 Page: 3 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

Test Item(s)	Unit	Method	MDL	Result	Limit
rest item(s)	Oill	Metriou	WIDL	No.1	LIIIII
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	-
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg		5	n.d.	-
Octabromobiphenyl	mg/kg		5	n.d.	-
Nonabromobiphenyl	mg/kg		5	n.d.	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and	5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	-
Dibromodiphenyl ether	mg/kg		5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-



No.: CE/2014/B1560 Date: 2014/11/21 Page: 4 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2007.	50	n.d.	-
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.	-
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. \*\* = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. # = a. Positive means the presence of CrVI on the tested areas
  - b. Negative means the absence of CrVI on the tested areas

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> tested areas.

#### PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².




No.: CE/2014/B1560 Date: 2014/11/21 Page: 5 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (  $Cr^{6^+}$  test method excluded )
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95 ℃.
- (2) For metallic material, add pure water and heat to boiling.




No.: CE/2014/B1560 Date: 2014/11/21 Page: 6 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

- These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

#### Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub>
Glass	HNO <sub>3</sub> /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO <sub>3</sub>
Plastic	H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCl
Others	Added appropriate reagent to total digestion




No.: CE/2014/B1560 Date: 2014/11/21 Page: 7 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/B1560 Date: 2014/11/21 Page: 8 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Roy Lin
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/B1560 Date: 2014/11/21 Page: 9 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### **HBCDD** analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/B1560 Date: 2014/11/21 Page: 10 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Member of the SGS Group




No.: CE/2014/B1560 Date: 2014/11/21 Page: 11 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/B1560 Date: 2014/11/21 Page: 12 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang





No.: CE/2014/B1560 Date: 2014/11/21 Page: 13 of 13

Vale Canada Limited

200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2014/B1560



\*\* End of Report \*\*



# **Test Report**

號碼(No.): CE/2014/C3272 日期(Date): 2014/12/24 頁數(Page): 1 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 研澤科技股份有限公司 (R-BRIGHT TECHNOLOGY CO., LTD.)

樣品名稱(Sample Description) : PURE TIN ANODE BALL (純錫陽極半球)

收件日期(Sample Receiving Date) : 2014/12/17

測試期間(Testing Period) : 2014/12/17 TO 2014/12/24

\_\_\_\_\_\_

測試需求(Test Requested)

(1) 依據客户要求,參考RoHS 2011/65/EU Annex II 指令進行鎘, 鉛, 汞, 六價鉻, 多溴聯苯, 多溴聯苯醚測試. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)

(2) 依據客户指定,進行鹵素-氟、氯、溴、碘測試. (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample.)

測試方法(Test Method) : 請見下一頁 (Please refer to next pages).

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Albana Action Results) . May 1 3 (Trease refer to hear pages).

: (1) 根據客户所提供的樣品,其鎬,鉛,汞,六價鉻,多溴聯苯,多溴聯苯醚的測試結果符合RoHS指令2002/95/EC的更新指令2011/65/EU之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.)

Edison Chang/Sr. Supervisor Signed for and on behalf of

結論(Conclusion)

SGS TAIWAN LTD.
Chemical Laboratory – Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions



號碼(No.): CE/2014/C3272 日期(Date): 2014/12/24 頁數(Page): 2 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)



測試部位(PART NAME) No.1 : 銀色金屬 (SILVER COLORED METAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	8	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦合電漿原子發射光譜儀檢測./ With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
六價络 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水 萃取法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative	#
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.	-
鹵素(氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)		參考BS EN 14582:2007, 以離子層析 儀分析. / With reference to BS	50	n.d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/C3272 日期(Date): 2014/12/24 頁數(Page): 3 of 8

研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD. 桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
多溴聯苯總和 / Sum of PBBs			-	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	-
七溴聯苯 / Heptabromobiphenyl		參考IEC 62321: 2008方法,以氣相	5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	層析/質譜儀檢測. / With	5	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/ kg	reference to IEC 62321: 2008 and	-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether		performed by GC/MS.	5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



### **Test Report**

號碼(No.): CE/2014/C3272 日期(Date): 2014/12/24 頁數(Page): 4 of 8

研澤科技股份有限公司

R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6.# = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# **Test Report**

號碼(No.): CE/2014/C3272

日期(Date): 2014/12/24

頁數(Page): 5 of 8


研澤科技股份有限公司

R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded )
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note\*\*:(1) 針對非金屬材料加入鹼性消化液 · 加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



# **Test Report**

號碼(No.) : CE/2014/C3272

日期(Date): 2014/12/24

頁數(Page): 6 of 8


研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD. 桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

確認程序 / Confirmation process - - - - ▶





號碼(No.): CE/2014/C3272

日期(Date): 2014/12/24

頁數(Page): 7 of 8

研澤科技股份有限公司


R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

#### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





**Test Report** 

號碼(No.): CE/2014/C3272 日期(Date): 2014/12/24 頁數(Page): 8 of 8


研澤科技股份有限公司 R-BRIGHT TECHNOLOGY CO., LTD.

桃園縣龜山鄉永安街52號3樓

3F, NO. 52, YONG-AN ST., GUEISHAN SHIANG, TAOYUAN COUNTY 333, TAIWAN (R. O. C.)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \*
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/C3272



\*\* 報告結尾(End of Report) \*\*